

Industrial scales



S29

Industrial scale

All-stainless steel bench scale, compact and easy to clean. Ideal for humid environments with high hygiene requirements, kitchens and industry. Scale not approved for trade. Available versions: 15 kg/2 g and 6 kg/1 g.

- Water resistant, IP65 degree of protection
- kg/lb unit conversion



SKW - MKW

Professional floor scale

Professional floor scale, Master KW series, sturdy and equipped with high-precision electronic load cell with wide steel base. Cast aluminum or painted tubular metal frame. Indicator with swiveling and tilting bracket. Main functions

available: automatic tare, simple piece counting, checkweighing, weight accumulation and weight totalization. For indoor use, approvable for trade.

- Stainless-steel weighing plate
- 60kg and 30kg capacity models available



CARATTERISTICHE PRINCIPALI



S29

Industrial scale

All-stainless steel bench scale, compact and easy to clean. Ideal for humid environments with high hygiene requirements, kitchens and industry. Scale not approved for trade. Available versions: 15 kg/2 g and 6 kg/1 g.

- Water resistant, IP65 degree of protection
- kg/lb unit conversion



SKW - MKW

Professional floor scale

Professional floor scale, Master KW series, sturdy and equipped with high-precision electronic load cell with wide steel base. Cast aluminum or painted tubular metal frame. Indicator with swiveling and tilting bracket. Main functions available: automatic tare, simple piece counting, checkweighing, weight accumulation and weight totalization. For indoor use, approvable for trade.

- Stainless-steel weighing plate
- 60kg and 30kg capacity models available

SCHEDA TECNICA

	S29	MKW	SKW
Payloads	6 kg/1 gr - 15 kg/2 gr	60 Kg/10 gr	30 Kg/10 gr
Weighing tray	Stainless steel 320 x 190 mm	Stainless steel 420 mm x 520 mm	Stainless steel 350 mm x 450 mm
Weight measurement	Load cell	IP 65 load cell (OIML C3)	IP 65 load cell (OIML C3)
Display	Backlit LCD display with large digits	24 mm backlit display	24 mm backlit display
Keyboard	-	7-key	7-key
Internal resolution	-	500,000 points	500,000 points
Batteries	Built-in rechargeable battery (70 h runtime)	Built-in rechargeable battery (70 h runtime)	Built-in rechargeable battery (70 h runtime)
Tare	Tare reset function	-	-
Temperature limits	-	-10° / + 40° C	-10° / + 40° C
Power supply	12V/500mA ; battery 6V/3,2 Ah	230 Vac / 9 Vcc 500 mA	230 Vac / 9 Vcc 500 mA
Dimensions	243 x 300 x 127 mm	-	-
Accessories	-	Painted trolley 420 mm x 520 mm Inox trolley 420 mm x 520 mm	



MODELLI DISPONIBILI

CODICE	DESCRIZIONE
9E0KN720000001	SCALE S29 6 KG/1 GR
9E0KN720000002	SCALE S29 15 KG/2 GR
9E0KN500000006	PLATFORM SCALE SKW 30 KG/10 GR
9E0KN500000008	PLATFORM SCALE MKW 60 KG/10 GR