

Q3X

Q3X (80 mm) . 80 , /USB. Wi-Fi



CARATTERISTICHE PRINCIPALI

Q3X (80 mm) +USB Bluetooth Wi-Fi

SPECIFICHE TECNICHE

Paper width	80 mm
Printing speed (max)	140 mm/sec
Interfaces	RS232;USB;Virtual COM;Ethernet;Wi-Fi;Bluetooth
Print Driver	Windows (32/64 bit);Linux (32/64 bit);Virtual COM;OPOS;Windows Phone;Android;iOS;macOSX

SCHEDA TECNICA

	Q3X	Q3X Wi-Fi	Q3X Ethernet	Q3X Bluetooth
	RS232+USB COM	RS232+USB COM +Wi-Fi	Ethernet	RS232+USB COM +Bluetooth
	8 /			
	203dpi			
/	140			

	Q3X	Q3X Wi-Fi	Q3X Ethernet	Q3X Bluetooth
重量	重量 100 重量 重量			
PC	PC437, PC850. PC860. PC863, PC865, PC858 ()			
PC	32	42	56	
PC	2.25 x 3 1.75 x 3 1.25 x 3 x mm -			
重量	UPCA, UPCE, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, QRCODE, PDF417			UPCA, UPCE, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, QRCODE, PDF417
重量	72 mm			
重量	重量 1 8			
重量	重量 90°, 180°, 270°			
重量	80			
重量	重量 重量 重量 重量 重量			重量 重量 重量 重量
重量	重量 55 /重量 60 /重量			
重量	63 μ			
重量	重量 80			
重量	CUSTOM / POS			
重量	20 KB			
重量	4 MB +1 MB			512 Kb
RAM	2 MB			
重量	1 (576x910 dots)			
重量	Windows® 32/64 重量 —重量 WHQL 重量 Linux® 32/64 重量 重量 COM Linux 重量 Windows 32/64 重量 OPOS; Windows Phone; 重量™ iOS; macOSX			Windows® 32/64 重量 —重量 WHQL 重量 重量 Linux® 32/64 重量 OPOS; Windows Phone; 重量™ iOS; macOSX
重量	PrinterSet, Virtual COM, Custom Windows API			
重量	24 Vdc ± 10% (重量)			
重量	1 A 重量 12.5重量			
DKD	1			
MTBF	360.000 (重量)			
重量	EN60950 +A1+A2+A3+A4			
重量	CE, RoHS Compliant			
重量	(重量) 150 重量 × (重量) 140 重量 × (重量) 117 重量			
重量	0.9 重量			



MODELLI DISPONIBILI

CODICE	DESCRIZIONE
911FF010100K33	PRINTER Q3X BTH IAP2 USB RS232
911FF010100333	PRINTER Q3X USB RS232
911FF010200B33	PRINTER Q3X WIFI USB RS232
911FF010100533	PRINTER Q3X ETH